

# Profec Slangestuds messing 2 1/2" x 70 mm udvendig gevind x slangestuds 30bar (0411778)



# TEKNISKE SPECIFIKATIONER

|                  |                               |
|------------------|-------------------------------|
| Materiale        | messing                       |
| Tilslutning      | udvendig gevind x slangestuds |
| Tryk             | 30 bar                        |
| Maks. temp.      | 120 °C                        |
| Størrelse        | 2 1/2" x 70 mm                |
| Maks. temperatur | 120 °C                        |
| Fastnøgle        | 75                            |

## DIMENSIONER

|       |       |
|-------|-------|
| Dq-2  | 66 mm |
| F-1   | 22 mm |
| L     | 88 mm |
| Lb    | 88 mm |
| Lq-2  | 34 mm |
| Nq-2  | 4     |
| P-1   | 34 mm |
| ØDi-1 | 66 mm |

|       |         |
|-------|---------|
| ØDi-2 | 61.5 mm |
|-------|---------|

|       |         |
|-------|---------|
| ØDo-1 | 2 1/2 " |
|-------|---------|

|       |       |
|-------|-------|
| ØDo-2 | 70 mm |
|-------|-------|



**Genereret den: 04-09-2026**

Bevo Nordic A/S  
Pakhusgården 54  
5000 Odense C  
Danmark  
+45 66 19 25 45  
[info@bevo.dk](mailto:info@bevo.dk)  
<http://www.bevo.com>