

**DAB Jet pumpe støbejern 1
1/4" x 1" indvendig gevind
6bar 7,2A 230VAC grøn
selvansugende type JET 151 M
(7030908)**



TEKNISKE SPECIFIKATIONER

Farve grøn

Materiale støbejern

Pump body støbejern

Materiale impeller 1 noryl

Model selvansugende

Tilslutning indvendig gevind

Volt 230VAC

Maks. temperatur 35 °C

Tryk 1 "

Maksimal omgivelsestemperatur 40 °C

Sug 1 1/4 "

Type JET 151 M

MWC 61 m

Størrelse 1 1/4" x 1"

Effekt 1.1 kW

Ampere 7,2 A

| | |
|-----------------|-----------------------|
| Maks. flow rate | 4.2 m ³ /h |
|-----------------|-----------------------|

| | |
|--------------|-----|
| BEP Capacity | 2.9 |
|--------------|-----|

| | |
|----------|----|
| BEP Head | 47 |
|----------|----|

| | |
|-------|------|
| PORlh | 51.3 |
|-------|------|

| | |
|-------|----|
| PORhh | 44 |
|-------|----|

| | |
|-------|---|
| PORlq | 2 |
|-------|---|

| | |
|-------|-----|
| PORhq | 3.5 |
|-------|-----|

DIMENSIONER

| | |
|------|----------|
| Cb-1 | 127.5 mm |
|------|----------|

| | |
|------|--------|
| Cb-1 | 158 mm |
|------|--------|

| | |
|------|--------|
| Cl-1 | 221 mm |
|------|--------|

| | |
|------|--------|
| Cr-1 | 105 mm |
|------|--------|

| | |
|------|----------|
| Ct-1 | 127.5 mm |
|------|----------|

| | |
|-----|--------|
| G-1 | 145 mm |
|-----|--------|

| | |
|---|--------|
| H | 255 mm |
|---|--------|

| | |
|---|--------|
| H | 255 mm |
|---|--------|

| | |
|---|--------|
| L | 558 mm |
|---|--------|

| | |
|---|--------|
| L | 558 mm |
|---|--------|

LM 558 mm



Mr 350 mm

O 11 mm

W-1 210 mm

ØDi-1 1 1/4 "

ØDi-2 1 "



PRODUKTINFORMATION

Sugning op til 8 meters dybde.

Genereret den: 09-05-2026

Bevo Nordic A/S
Pakhusgården 54
5000 Odense C
Danmark
+45 66 19 25 45
info@bevo.dk
<http://www.bevo.com>