

**DAB Jet pumpe rustfri stål 304
1" indvendig gevind 8bar 6,6A
230VAC grøn selvansugende
type JETINOX 132 M (7030907)**



TEKNISKE SPECIFIKATIONER

Farve	grøn
Materiale	rustfri stål 304
Pump body	rustfri stål 304
Materiale impeller 1	technopolymer A
Model	selvansugende
Tilslutning	indvendig gevind
Maks. temperatur	35 °C
Mindste mellemtemperatur (kontinuerlig)	0 °C
Tryk	1 "
Maksimal omgivelsestemperatur	40 °C
Sug	1 "
Type	JETINOX 132 M
MWC	48,3 m
Størrelse	1"
Volt	230VAC
Effekt	1 kW

Ampere	6,6 A
--------	-------

Maks. flow rate	4.8 m ³ /h
-----------------	-----------------------

BEP Capacity	3.5
--------------	-----

BEP Head	33
----------	----

PORlh	37.5
-------	------

PORhh	29.8
-------	------

PORlq	2.5
-------	-----

PORhq	4.2
-------	-----

DIMENSIONER

Cb-1	98.5 mm
------	---------

Cb-1	144 mm
------	--------

Cl-1	122 mm
------	--------

Cr-1	87 mm
------	-------

Ct-1	98.5 mm
------	---------

G-1	111 mm
-----	--------

H	197 mm
---	--------

H	197 mm
---	--------

L	424 mm
---	--------

L 424 mm

LM 424 mm

Mr 207 mm

MW 165 mm


O 9 mm

W 174 mm

W-1 174 mm

ØDi-1 1 "

ØDi-2 1 "



PRODUKTINFORMATION

Sugning op til 8 meters dybde.

Genereret den: 08-05-2026

Bevo Nordic A/S
Pakhusgården 54

5000 Odense C
Danmark
+45 66 19 25 45
info@bevo.dk
<http://www.bevo.com>