

NaanDan Cirkelsprinkler plastik 3/4" udvendig gevind 4,0x2,5 mm sort/grå type 5035 SD (7029458)



NaanDan
by Rivulis

TEKNISKE SPECIFIKATIONER

Type	5035 SD
Materiale	plastik
Tilslutning	udvendig gevind
Vinkel	25 °
Anbefalet tryk	4 bar
Farve	sort/grå
Kapacitet 3bar	1,49 m ³ /t
Kapacitet 4bar	1,74 m ³ /t
Kapacitet 5bar	1,95 m ³ /t
Størrelse	3/4"
Maks. diameter	29.2 m
Dysestørrelse	4,0x2,5 mm
Radius 3bar	14 m
Radius 4bar	14,5 m
Radius 5bar	14,6 m

Type 5035					
3,5mm			4,0mm		
Bar	Q	Ø	Bar	Q	Ø
2,5	0,73	26,0	2,0	0,85	25,5
3,0	0,81	26,5	3,0	1,06	27,0
4,0	0,93	27,5	4,0	1,22	28,0



bevo
bringing water to life

PRODUKTINFORMATION

Sandfast med fjedre i rustfrit stål.
Hurtigt skiftede dysebajonetsystem.

Genereret den: 05-11-2025

Bevo Nordic A/S
Pakhusgården 54
5000 Odense C
Danmark
+45 66 19 25 45
info@bevo.dk
<http://www.bevo.com>