

# DAB jet-pump rostfritt stål 304 1" invändig gänga 8bar 5,1A 230VAC grön självsugande med tryckkontroll type JETINOX 82 Control D (7030930)



**DAB**  
WATER • TECHNOLOGY

# TEKNISKA SPECIFIKATIONER

Färg grön

Material rostfritt stål 304

Pump body rostfritt stål 304

Material impeller 1 teknopolymer A

Modell självsugande med tryckkontroll

Anslutning invändig gänga

Volt 230VAC

Max temperatur 35 °C

Minste mellantemperatur  
(kontinuerlig) 0 °C

Tryck 1 "

Max omgivningstemperatur 40 °C

Sug 1 "

Typ JETINOX 82 Control D

Storlek 1"

Effekt 0.6 kW

MWC 47

Ampere	5,1 A
Max flow rate	3.6 m <sup>3</sup> /h
BEP Capacity	2.4
BEP Head	26.3
PORlh	30.9
PORhh	23.7
PORlq	1.7
PORhq	2.9

## DIMENSIONER

L	406 mm
H	197 mm
LM	390 mm
MW	165 mm
Cb-1	270 mm
Ct-1	239 mm
Cr-1	167 mm
L	406 mm
W-1	174 mm

ØDi-1 1 "

ØDi-2 1 "

O 9 mm



Cb-1 144 mm

G 111 mm

Cl-1 122 mm

Mr 207 mm

H 197 mm



## PRODUKTINFORMATION

Installation: Horizontal, Fixed. Operating range: from 0.4 to 4.8 m<sup>3</sup>/h with head up to 53 metres.

Suitable for pumping water with low levels of sand impurities. Self priming centrifugal pumps with excellent suction capacity even when air bubbles are present.

**Genererad den: 08/11/2025**

Bevo Nordic A/S  
Pakhusgården 54  
5000 Odense C

Danmark  
+45 66 19 25 45  
[info@bevo.dk](mailto:info@bevo.dk)  
<http://www.bevo.com>