

**Hunter Popup-sprinkler plast 1  
1/2" utvändig gänga 2,7 -  
10,3bar 70° - 360° svart type I-  
80-04-SS-ON rostfritt stål  
(7032711)**



**Hunter®**

# TEKNISKA SPECIFIKATIONER

Färg	svart
Material	plast
Anslutning	utvändig gänga
Typ	rostfritt stål
Sektorjusterbart intervall	70° - 360°
Riser höjd	9.5 cm
Tryck	2,7 - 10,3 bar
Rek. tryck	3,4 - 6,9 bar
Typ	I-80-04-SS-ON
Kapacitet	4,9 - 13,3 m <sup>3</sup> /h
Kapacitet	81,8 - 221,4 l/min
Storlek	1 1/2"
Radie	19,2 - 29,6 m

## PRODUKTINFORMATION

I-80 comes with a gear-driven rotor and has got the most technologically advanced commercial rotor available. Engineered for sports turf and large park applications, the I-80 provides an ultra-robust, dirt-tolerant gear drive that offers the highest torque output of any rotor in the

commercial arena.

## Genererad den: 26/02/2026

Bevo Nordic A/S  
Pakhusgården 54  
5000 Odense C  
Danmark  
+45 66 19 25 45  
[info@bevo.dk](mailto:info@bevo.dk)  
<http://www.bevo.com>