

# Hunter Bevattningsautomat plast 24VAC vit type Pro-HC Outdoor 1201-E 12 stationer (7026328)



**Hunter®**

# TEKNISKA SPECIFIKATIONER

|                 |                |
|-----------------|----------------|
| Färg            | vit            |
| Typ             | Pro-HC Outdoor |
| Material        | plast          |
| Volt            | 24VAC          |
| Höjd            | 228 mm         |
| IP värde        | IP44           |
| Typ             | 1201-E         |
| Antal stationer | 12             |

## PRODUKTINFORMATION

Manage this durable outdoor irrigation controller with Hydrawise web-based software from anywhere worldwide using your smart device or web browser. Predictive watering adjusts schedules based on temperature forecast, rainfall probability, wind and humidity to provide maximum water savings while keeping your clients' landscape healthy and beautiful. Add a simple-to-install flow meter and set up automatic notifications to alert you of broken pipes or sprinklers.

- Number of stations: 6, 12, or 24
- Standard programming option allows for 6 independent irrigation programs and 6 start times per program
- Advanced programming option provides station-based programming with up to 6 total start times available
- 2 sensor inputs available for use with any Klik sensor and HC Flow Meter
- 1 P/MV output for pump start relay and master valve activation

- Wi-Fi enabled for quick connection to Hydrawise software
- 2<sup>3</sup>/<sub>4</sub>" full-colour touchscreen display for simple programming at the control panel
- Built-in milliamp sensor for wire fault detection and alerts

**Genererad den: 08/11/2025**

Bevo Nordic A/S  
Pakhusgården 54  
5000 Odense C  
Danmark  
+45 66 19 25 45  
[info@bevo.dk](mailto:info@bevo.dk)  
<http://www.bevo.com>